# LIST OF RECOMMENDED TREES FOR HOME LANDSCAPES Haverford Township Shade Tree Commission, 2023

The recommended tree list includes trees that perform well in our area, most are native. Included are a diversity of species to accommodate different planting sites. The growth rates and size at maturity will vary depending on planting location, soil type, and other environmental factors.

### LARGE TREES

| NAME                      | SIZE (feet) | GROWTH RATE                  | LIGHT         | SOIL           | FALL<br>COLOR | NATIVE | WILDLIFE BENEFIT            |
|---------------------------|-------------|------------------------------|---------------|----------------|---------------|--------|-----------------------------|
| Red Maple                 | 40-70H x    | Fast to Medium: 10-12' in 5- | Full Sun –    | Moist, Well    | Red,          | Yes    | Food Source - Fruits and    |
| (Acer rubrum)             | 30-50W      | 7 years                      | Partial Shade | Drained        | Orange        |        | Young Shoots                |
| Sugar Maple               | 40-80H x    | Slow to Medium               | Full Sun –    | Moist, Well    | Red,          | Yes    | Food Source - Seeds and     |
| (Acer saccharum)          | 30-60W      |                              | Partial Shade | Drained        | Orange        |        | Twigs                       |
| Northern Catalpa          | 50-60H x    | Fast to Medium               | Full Sun      | Wet to Dry     | Brown         | Yes    | Food Source - Seeds         |
| (Catalpa speciosa)        | 20-40W      |                              |               |                |               |        |                             |
| Pignut Hickory            | 50-80H x    | Slow to Medium               | Full Sun –    | Moist, Well    | Yellow        | Yes    | Food Source – Nuts          |
| (Carya glabra)            | 25-40W      |                              | Partial Shade | Drained        |               |        |                             |
| Shagbark Hickory          | 70-90H x    | Slow to Medium               | Full Sun –    | Moist, Well    | Yellow        | Yes    | Food Source – Nuts          |
| (Carya ovata)             | 50-70W      |                              | Partial Shade | Drained        |               |        |                             |
| Mockernut Hickory         | 60-80H x    | Slow to Medium               | Full Sun –    | Moist, Well    | Yellow        | Yes    | Food Source – Nuts          |
| (Carya tomentosa)         | 40-60W      |                              | Partial Shade | Drained        |               |        |                             |
| Common Hackberry          | 40-60H x    | Fast to Medium: 20-30' over  | Full Sun -    | Wet to Dry     | Yellow        | Yes    | Food Source - Fruits and    |
| (Celtis occidentalis)     | 40-60W      | 10-15 years                  | Partial Shade |                |               |        | Twigs; Shelter and Nesting  |
| Ginkgo                    | 50-80H x    | Slow                         | Full Sun      | Moist, Well    | Yellow        | No     | Food Source – Fruits and    |
| (Ginkgo biloba)           | 30-40W      |                              |               | Drained to Dry |               |        | Seeds                       |
| Sweetgum                  | 60-80H x    | Fast to Medium: 20' over 20  | Full Sun      | Moist, Well    | Red,          | Yes    | Food Source - Seeds         |
| (Liquidambar styraciflua- | 40-60W      | years                        |               | Drained        | Orange        |        |                             |
| Rotundiloba)              |             |                              |               |                |               |        |                             |
| Tulip tree Yellow poplar  | 60-90H x    | Fast to Medium               | Full Sun      | Moist, Well    | Yellow        | Yes    | Food Source – Fruits and    |
| (Liriodendron tulipifera) | 30-50W      |                              |               | Drained        |               |        | Seeds                       |
| Cucumber Magnolia         | 40-70H x    | Medium to Fast: 10-15' over  | Full Sun -    | Moist, Well    | Yellow,       | Yes    | Food Source - Seeds         |
| (Magnolia acuminata)      | 20-35W      | 6 years                      | Partial Shade | Drained        | Brown         |        |                             |
| Blackgum Black Tupelo     | 30-50H x    | Slow to Medium               | Full Sun -    | Wet to Moist   | Red,          | Yes    | Food Source - Fruit         |
| (Nyssa sylvatica)         | 20-30W      |                              | Partial Shade |                | Orange        |        |                             |
| American Sycamore         | 75-100H x   | Medium to Fast: 2' per year  | Full Sun      | Wet to Moist   | Brown         | Yes    | Food Source – Nuts; Shelter |
| (Platanus occidentalis,   | 75-100W     |                              |               |                |               |        | and Nesting Sites           |
| Platanus x acerifolia)    |             |                              |               |                |               |        |                             |
| Black Cherry              | 50-80H x    | Medium: 50-70' over 30-50    | Full Sun –    | Moist, Well    | Yellow        | Yes    | Food Source - Fruit         |
| (Prunus serotina)         | 30-60W      | years                        | Partial Shade | Drained        |               |        |                             |
| White Oak                 | 50-80H x    | Slow: 12-15' over 10-12      | Full Sun      | Dry to Moist   | Red,          | Yes    | Food Source - Acorns and    |
| (Quercus alba)            | 50-80W      | years                        |               |                | Brown         |        | Twigs                       |
| Swamp White Oak           | 50-60H x    | Slow: 12-15' over 10-12      | Full Sun      | Moist, Well    | Yellow        | Yes    | Food Source - Acorns and    |
| (Quercus bicolor)         | 50-60W      | years                        |               | Drained to Dry |               |        | Twigs                       |

| NAME                     | SIZE (feet) | GROWTH RATE                 | LIGHT    | SOIL               | FALL<br>COLOR | NATIVE | WILDLIFE BENEFIT            |
|--------------------------|-------------|-----------------------------|----------|--------------------|---------------|--------|-----------------------------|
| Bur Oak                  | 50-80H x    | Slow: 15-20' over 20 years  | Full Sun | Moist, Well        | Yellow,       | Yes    | Food Source - Acorns and    |
| (Quercus macrocarpa)     | 70-80W      |                             |          | Drained to Dry     | Brown         |        | Twigs                       |
| Willow Oak               | 40-60H x    | Medium: 1-2' per year       | Full Sun | Moist, Well        | Yellow,       | Yes    | Food Source - Acorns and    |
| (Quercus phellos)        | 30-60W      |                             |          | Drained to Dry     | Brown         |        | Twigs                       |
| Chestnut Oak             | 60-80H x    | Medium to Fast: 12-15' over | Full Sun | Well Drained,      | Yellow,       | Yes    | Food Source - Acorns and    |
| (Quercus prinus)         | 60-70W      | 7-10 years                  |          | Drought Tolerant   | Orange        |        | Twigs                       |
| English Oak              | 40-60H x    | Slow to Medium              | Full Sun | Dry to Moist, Well | Brown         | No     | Food Source - Acorns and    |
| (Quercus robur)          | 40-60W      |                             |          | Drained            |               |        | Twigs                       |
| Northern Red Oak         | 50-75H x    | Fast to Medium: 20-30'      | Full Sun | Dry to Moist       | Red           | Yes    | Food Source - Acorns and    |
| (Quercus rubra)          | 40-60W      | over 10-15 years            |          |                    |               |        | Twigs                       |
| Post Oak                 | 35-50H x    | Slow                        | Full Sun | Dry to Moist       | Yellow,       | Yes    | Food Source - Acorns and    |
| (Quercus stellata)       | 35-50W      |                             |          |                    | Brown         |        | Twigs                       |
| Baldcypress              | 50-70H x    | Medium: 50-70' over 30-50   | Full Sun | Wet to Dry         | Brown         | Yes    | Deciduous Conifer           |
| (Taxodium distichum)     | 20-40W      | years                       |          |                    |               |        |                             |
| American Linden Basswood | 60-80H x    | Fast to Medium: 20-30' over | Full Sun | Moist, Well        | Yellow        | Yes    | Food Source - Twigs, Seeds, |
| (Tilia americana)        | 40-60W      | 30 years                    |          | Drained            |               |        | and Nectar                  |
| Japanese Zelkova         | 60-70H x    | Medium                      | Full Sun | Moist, Well        | Yellow,       | No     | Replaces Elms due to        |
| (Zelkova serrata)        | 40-60W      |                             |          | Drained            | Orange        |        | disease                     |

## **MEDIUM - SMALL TREES**

| NAME                      | SIZE (feet) | GROWTH RATE                 | LIGHT          | SOIL                | FALL<br>COLOR | NATIVE | WILDLIFE BENEFIT             |
|---------------------------|-------------|-----------------------------|----------------|---------------------|---------------|--------|------------------------------|
| Trident Maple             | 20-25H x    | Slow to Medium              | Full Sun –     | Drought Tolerant    | Red,          | No     | Food Source: Seeds           |
| (Acer buergeranum)        | 20-25W      |                             | Partial Shade  |                     | Orange        |        |                              |
| Hedge Maple               | 25-35H x    | Slow: 10-14" over 10-15     | Full Sun –     | Wet-Dry             | Variable      | No     | Food Source: Seeds           |
| (Acer campestre)          | 25-35W      | years                       | Partial Shade  |                     |               |        |                              |
| Paperbark Maple           | 20-30H x    | Slow: 6-12" over 10-15      | Full Sun       | Moist, Well Drained | Red,          | No     | Food Source: Seeds           |
| (Acer griseum)            | 15-25W      | years                       |                |                     | Orange        |        |                              |
| River Birch 'Heritage'    | 40-50H x    | Fast to Medium: 30-40' over | Full Sun –     | Moist               | Yellow        | Yes    | Food Source - Buds, Seeds,   |
| (Betula nigra 'Heritage') | 30-40W      | 20 years                    | Partial Shade  |                     |               |        | Leaves and Twigs             |
| Sweet Birch               | 40-50H x    | Medium                      | Full Sun –     | Moist               | Yellow        | Yes    | Food Source - Buds, Seeds    |
| (Betula lenta)            | 35-40H      |                             | Partial Shade  |                     |               |        |                              |
| American Hornbeam         | 20-30H x    | Slow: 8-10' over 10 years   | Partial – Full | Wet-Dry             | Yellow,       | Yes    | Food Source - Buds, Seeds,   |
| (Carpinus caroliniana)    | 20-25W      |                             | Shade          |                     | Orange        |        | Leaves and Twigs             |
| European Hornbeam         | 40-60H x    | Slow to Medium: 10' over    | Full Sun –     | Moist, Well Drained | Yellow        | No     | Food Source - Catkins, Buds, |
| (Carpinus betulus)        | 30-40W      | 10 years                    | Partial Shade  |                     |               |        | Seeds, Leaves and Twigs      |
| Yellowwood                | 30-50H x    | Fast to Medium              | Full Sun       | Moist, Well Drained | Yellow        | Yes    | Food Source - Seeds          |
| (Cladratis kentukea)      | 40-50W      |                             |                |                     |               |        |                              |
| Hazelnut                  | 10-16H x    | Medium                      | Full Sun –     | Moist, Well Drained | Yellow,       | Yes    | Food Source - Nuts           |
| (Corylus americana)       | 8-13W       |                             | Partial Shade  |                     | Orange        |        |                              |
| Turkish Filbert           | 40-60H x    | Medium                      | Full Sun       | Moist, Well Drained | Yellow        | No     | Food Source - Nuts           |
| (Corylus colurna)         | 20-40W      |                             |                |                     |               |        |                              |
| Common Persimmon          | 35-60H x    | Medium                      | Full Sun –     | Dry to Moist, Well  | Yellow        | Yes    | Food Source - Fruit          |
| (Diospyros virginiana)    | 25-35W      |                             | Partial Shade  | Drained             |               |        |                              |
| Amur Maackia              | 20-30H x    | Slow                        | Full Sun       | Moist, Well Drained | Yellow        | No     | Food Source - Fruit          |
| (Maackia amurensis)       | 20-30W      |                             |                |                     |               |        |                              |
| American Hophornbeam,     | 30-50H x    | Slow 10'-15' over 15 years  | Full Sun –     | Moist, Well Drained | Yellow        | Yes    | Food Source - Buds, Catkins  |
| Ironwood                  | 20-30W      |                             | Partial Shade  |                     |               |        | and Seeds                    |
| (Ostrya virginiana)       |             |                             |                |                     |               |        |                              |
| Sourwood                  | 20-50H x    | Medium                      | Full Sun –     | Moist, Well Drained | Red           | Yes    | Flower Pollen for Honeybees  |
| (Oxydendrum arboreum)     | 10-25W      |                             | Partial Shade  |                     |               |        |                              |
| Persian Ironwood          | 20-30H x    | Slow to Medium              | Full Sun –     | Moist, Well Drained | Yellow,       | No     | Food Source - Fruit          |
| (Parrotia persica)        | 15-25W      |                             | Partial Shade  |                     | Orange        |        |                              |
| Sassafras                 | 30-60H x    | Medium to Fast 10-12' over  | Full Sun –     | Moist, Well Drained | Red,          | Yes    | Food Source - Twigs and      |
| (Sassafras albidum)       | 25-40W      | 5-8 years                   | Partial Shade  |                     | Yellow        |        | Fruit                        |

## **FLOWERING TREES**

| NAME                        | SIZE (feet) | GROWTH RATE                | LIGHT         | SOIL                | FLOWER<br>COLOR | NATIVE    | WILDLIFE BENEFIT            |
|-----------------------------|-------------|----------------------------|---------------|---------------------|-----------------|-----------|-----------------------------|
| Serviceberry, Shadbush      | 20-30H x    | Medium: 9-10 over 5-8      | Full Sun –    | Moist, Well Drained | White           | Yes       | Food Source - Fruits, Twigs |
| (Amelanchier canadensis/    | 10-20W      | years                      | Partial Shade |                     |                 |           | and Leaves                  |
| aevis, arborea)             |             |                            |               |                     |                 |           |                             |
| Eastern Redbud              | 20-30H x    | Medium: 7-10 over 5-6      | Full Sun –    | Moist, Well Drained | Rose-           | Yes       | Food Source – Seeds, Fruit  |
| Cercis canadensis)          | 20-30W      | years                      | Partial Shade | - Adaptable         | Purple          |           |                             |
| Pagoda Dogwood              | 15-25H x    | Slow after planting,       | Partial Shade | Moist, Well Drained | Yellow-         | Yes       | Food Source - Fruit         |
| Cornus alternifolia)        | 20-30W      | Medium when established    |               |                     | White           |           |                             |
| Cornelian Cherry            | 20-25H x    | Slow to Medium             | Full Sun –    | Moist, Well         | Yellow          | No        | Food Source - Fruit         |
| Dogwood (Cornus mas)        | 15-20W      |                            | Partial Shade | Drained/Dry         |                 |           |                             |
| Kousa Dogwood               | 20-30H x    | Slow                       | Full Sun      | Moist, Well         | White           | No        | Food Source - Fruit         |
| Cornus kousa)               | 20-30W      |                            |               | Drained/Dry         |                 |           |                             |
| Cockspur Hawthorn           | 20-30H x    | Slow to Medium 10-14' over | Full Sun      | Well Drained        | White           | No        | Food Source – Fruit and     |
| Craetagus crus-galli)       | 20-35W      | 6-10 years                 |               |                     |                 |           | Nectar                      |
| Carolina Silverbell         | 30-40H x    | Medium                     | Full Sun –    | Moist, Well Drained | White           | Yes       | Food Source - Fruit         |
| Halesia carolina)           | 20-35H      |                            | Partial Shade |                     |                 |           |                             |
| Vitch Hazel                 | 15-20H x    | Medium                     | Full Sun –    | Moist, Well Drained | Yellow          | Yes       | Food Source – Seeds, Fruit  |
| Hamamelis virginiana)       | 15-20W      |                            | Partial Shade |                     |                 |           |                             |
| Sweetbay Magnolia           | 10-20H x    | Medium to Fast             | Full Sun –    | Moist               | White           | Yes       | Food Source – Seeds, Fruit  |
| Magnolia virginiana)        | 10-20W      |                            | Partial Shade |                     |                 |           |                             |
| lowering Crabapple          | 15-25H x    | Slow                       | Full Sun      | Moist, Well Drained | Pink            | No, must  | Food Source - Fruit         |
| Malus Numerous Cultivars)   | 25-30W      |                            |               |                     |                 | use       |                             |
|                             |             |                            |               |                     |                 | cultivars |                             |
| Sargent Cherry              | 40-50H x    | Fast                       | Full Sun      | Moist, Well Drained |                 | No        | Food Source - Fruit         |
| Prunus sargentii)           | 20-30W      |                            |               |                     |                 |           |                             |
| apanese Stewartia           | 20-40H x    | Slow                       | Full Sun      | Moist               | White           | No        | Flower Pollen               |
| Stewartia pseudocamellia)   | 10-15W      |                            |               |                     |                 |           |                             |
| apanese Snowbell            | 20-30H x    | Medium: 9-10' over 7-10    | Full Sun –    | Moist, Well Drained | White           | No        | Flower Pollen               |
| Styrax japonicus)           | 20-30W      | years                      | Partial Shade |                     |                 |           |                             |
| ree Lilac                   | 20-30H x    | Medium 9-12' over 6-8      | Full Sun      | Moist, Well Drained | White           | No        | Flower Pollen               |
| Syringa reticulata)         | 15-25W      | years                      |               |                     |                 |           |                             |
| oshino Flowering Cherry     | 30-40H x    | Medium 9-12' over 6-8      | Full Sun –    | Moist, Well Drained | White           | No        | Food Source – Fruit         |
| Prunus x yedoensis)         | 30-40W      | years                      | Partial Shade |                     |                 |           |                             |
| ligan Cherry                | 20-30H x    | Medium 9-12' over 6-8      | Full Sun –    | Moist, Well Drained | Pink            | No        | Food Source – Fruit         |
| Prunus subhirtella          | 15-25W      | years                      | Partial Shade |                     |                 |           |                             |
| Autumnalis'                 |             |                            |               |                     |                 |           |                             |
| Winter King Hawthorn        | 25-35H x    | Medium 9-12' over 6-8      | Full Sun      | Moist, Well Drained | White           | Yes       | Food Source – Fruit         |
| Crataegus x viridis 'Winter | 25-35W      | years                      |               |                     |                 |           |                             |
| (ing')                      |             |                            |               |                     |                 |           |                             |
| Fringetree                  | 12-20H x    | Medium 9-12' over 6-8      | Full Sun –    | Moist, Well Drained | White           | Yes       | Food Source – Fruit         |
| Chionanthus virginicus)     | 12-20W      | years                      | Partial Shade | ,                   |                 |           |                             |

## **EVERGREEN TREES**

| NAME                        | SIZE (feet) | GROWTH RATE              | LIGHT         | SOIL             | FALL<br>COLOR | NATIVE | WILDLIFE BENEFIT    |
|-----------------------------|-------------|--------------------------|---------------|------------------|---------------|--------|---------------------|
| Fraser Fir                  | 30-50H x    | Slow                     | Full Sun –    | Moist, Well      | NA            | Yes    | Food Source - Seeds |
| (Abies fraseri)             | 20-30W      |                          | Partial Shade | Drained          |               |        |                     |
| Sawara Falsecypress         | 50-70H x    | Medium                   | Full Sun –    | Moist, Well      | NA            | No     | Food Source - Seeds |
| (Chamaecyparis pisifera)    | 10-20W      |                          | Partial Shade | Drained          |               |        |                     |
| Atlantic White Cedar        | 40-50H x    | Medium                   | Full Sun      | Moist, Well      | NA            | Yes    | Food Source - Seeds |
| (Chamaecyparis thyoides)    | 10-20W      |                          |               | Drained          |               |        |                     |
| Japanese Cryptomeria        | 50-60H x    | Medium 50-60' over 30-40 | Full Sun      | Moist, Well      | NA            | No     | Food Source - Seeds |
| (Cryptomeria japonica)      | 20-30W      | years                    |               | Drained          |               |        |                     |
| American Holly              | 30-40H x    | Slow                     | Full Sun –    | Well Drained     | NA            | Yes    | Food Source - Fruit |
| (Ilex opaca)                | 10-20W      |                          | Partial Shade |                  |               |        |                     |
| Foster's Hybrid Hollies     | 20-30H x    | Slow - Medium            | Full Sun –    | Moist, Well      | NA            | Yes    | Food Source - Fruit |
| (Ilex x attenuta 'Fosteri') | 10-15W      |                          | Partial Shade | Drained          |               |        |                     |
| Eastern Redcedar            | 40-60H x    | Medium                   | Full Sun      | Well Drained –   | NA            | Yes    | Food Source - Fruit |
| (Juniperus virginiana)      | 10-25W      |                          |               | Drought Tolerant |               |        |                     |
| Norway Spruce               | 40-60H x    | Fast                     | Full Sun      | Moist, Well      | NA            | No     | Food Source - Seeds |
| (Picea abies)               | 20-30W      |                          |               | Drained          |               |        |                     |
| White Spruce                | 40-60H x    | Medium                   | Full Sun      | Moist, Well      | NA            | Yes    | Food Source – Seeds |
| (Picea glauca)              | 10-20W      |                          |               | Drained          |               |        |                     |
| Shortleaf Pine              | 50-60H x    | Fast - Medium            | Full Sun      | Moist, Well      | NA            | Yes    | Food Source - Seeds |
| (Pinus echinata)            | 20-35W      |                          |               | Drained          |               |        |                     |
| Limber Pine                 | 40-60H x    | Fast                     | Full Sun      | Moist, Well      | NA            | Yes    | Food Source – Seeds |
| (Pinus flexilis)            | 20-40W      |                          |               | Drained          |               |        |                     |
| Eastern White Pine          | 50-80H x    | Fast                     | Full Sun –    | Moist, Well      | NA            | Yes    | Food Source – Seeds |
| (Pinus strobus)             | 20-40W      |                          | Partial Shade | Drained          |               |        |                     |
| Virginia Pine               | 15-30H x    | Medium                   | Full Sun      | Moist, Well      | NA            | Yes    | Food Source - Seeds |
| (Pinus virginiana)          | 10-20W      |                          |               | Drained          |               |        |                     |
| American Arborvitae         | 20-40H x    | Fast                     | Full Sun –    | Moist, Well      | NA            | Yes    | Food Source – Seeds |
| (Thuja occidentalis)        | 10-15W      |                          | Partial Shade | Drained          |               |        |                     |
| Green Giant Arborvitae      | 40-60H x    | Fast                     | Full Sun –    | Moist, Well      | NA            | Yes    | Deer resistant      |
| (Thuja plicata x Thuja      | 12-18W      |                          | Partial Shade | Drained          |               |        |                     |
| standishii)                 |             |                          |               |                  |               |        |                     |